


CSIR-NATIONAL GEOPHYSICAL RESEARCH INSTITUTE





NGRI No. 03/11/2017-Wks

Dated:06-07-2017

<u>CHECK LIST – I</u>

<u>Note</u>: The documents to be put in **envelope-I** along with this sheet.

Name of the work: "Grouting and Grading of terrace of south wing in Extension Building at CSIR-NGRI, Hyderabad."

Sl.No.	Description	No. of Pages enclosed	Yes/No
01.	Valid Registration		
02.	DD of Tender cost		
03.	DD of EMD		
04.	PAN Card		
05.	Self-attested copies of experience certificates		

Stamps & Signature of Tenderer



Date:

(If any)

Cell No: e-mail ID:

CSIR-NATIONAL GEOPHYSICAL RESEARCH INSTITUTE



(Council of Scientific & Industrial Research) Uppal Road, <u>Hyderabad - 500 007</u>

NGRI No. 03/11/2017-Wks Dated:06-07-2017 Tender Schedules for the work of "Grouting and Grading of terrace of south wing in Extension Building at CSIR-NGRI, Hyderabad." COST OF TENDER PAPERS RECEIVED Rs. 500/- (Rupees Five Hundred only). Dt: Bank..... TENDER TO BE SUBMITTED TO THE DIRECTOR, NGRI, Hyderabad Tender Issued to Shri / M/S. Signature of the Issuing Authority **CONTENTS** Sl.No. Description No. of Pages 01. Contents 1 **Detailed Notice Inviting Tenders** 02. Compliance to Labour Laws & Apprentice Act 03. 1 Contractor's Site Superintendence 04. 1 05. **Special Conditions** 1 Additional Conditions of Cement, Steel & 06 2 Bitumen 07. **Special Conditions** 1 08 Additional Special Conditions 1 09 Abstract of Cost 1 10 Schedule of Ouantities. 1 Special Conditions & General Conditions of Can be seen in the office of SE 11. Contract CPWD Specifications Vol-1&2 etc. and (Civil) CSIR-NGRI, during office Drawing hours. EARNEST MONEY DEPOSIT INFORMATION Earnest money of Rs. 9,500/- (Rupees Nine Thousand Five Hundred only) deposited with the Director, NGRI, Hyderabad, Vide Demand Draft No..... Dt.....



CSIR-NATIONAL GEOPHYSICAL RESEARCH INSTITUTE

(Council of Scientific & Industrial Research) Uppal Road, <u>Hyderabad – 500 007</u>



Dated: 06-07-2017

NGRI No.03/11/2017 -Wks

NOTICE INVITING TENDERS

Sealed tenders are hereby invited for the work of "Grouting and Grading of terrace of south wing in Extension Building at CSIR-NGRI, Hyderabad." from the contractors of appropriate class of CPWD, Railways, MES, State PWD and/or also from those who have carried out similar types of works for CSIR/Institutes or for Govt./semi govt./autonomous bodies/PSU/Govt. companies/Govt. Department to the tune of 80% of one work or 60% of two works or 40% of three works i.e. for an amount of Rs. 3.786/2.840/1.893 (all in lakh) respectively during the last 5 years. Similar type of works means, water proofing treatment done with brick bat coba, cement based water proofing treatments, injecting/grouting.

- 1. Tender document may be obtained from Cash Section Room No. 20, Extension building, CSIR-NGRI, Uppal Road, Hyderabad from 10.00 A.M. to 12.30 P.M. during working days only on payment of Rs. 500/- for each by means of D.D.(Non-refundable) drawn in favour of "Director, NGRI, Hyderabad", with attested copies certificates of valid registration, experience. Tender documents are also available on CSIR-NGRI website i.e www.ngri.org.in.
- 2. The tender documents are to be submitted in three sealed envelopes system as detailed below:
 - (a). In case of purchase of tender documents from Cash Section, CSIR-NGRI

Envelope I: 1. Checklist, 2. DD for EMD (DDs should be issued by the scheduled Banks in the name of the Director, CSIR-NGRI), 3. Self-attested copies of certificates similar type of works done with valid registration, if any, copy of PAN card and Experience.

Envelope II: Tender Schedules / Price Bid

Envelope III: Envelope I and II

(b). In case of down loaded from CSIR-NGRI web site i.e www.ngri.org.in:

Envelope I: 1. Checklist, 2. Demand Draft for Cost of tender Document, 3. DD for EMD (DDs should be issued by the scheduled Banks in the name of the Director, CSIR-NGRI), 4. Self-attested copies of certificates similar type of works done with valid registration, if any, copy of PAN card, and Experience.

Envelope II: Tender Schedules /Price Bids

Envelope III: Envelope I and II

Each Envelope is to be superscribed clearly with the NIT NO., dated, name of work, the details of documents in it and date & time of opening. The date of DD should be after the date of NIT.

- 3. Tender (s) received without EMD and not fulfilling the requirement of Check List-I will be treated as cancelled and will not be opened.
- 4. Each page of the tender document is to be signed by the tenderer with seal.
- 5. If any documents found to be fake/incorrect at any stage, the tender/work will be cancelled. In that case the same work will be executed through another firm at risk & cost of first awardee/firm/contractor. The firm/contractor will be black listed and the same will be intimated to other public sector organizations also.
- 6. Estimated cost is Rs. 4.733 Lakhs (Rupees Four Lakh Seventy Three Thousand Three Hundred only).
- 7. Time for carrying out the work for rate contract for 15 days and the date of commencement shall be reckoned from the day of issue of the award letter.

- 8. Complete contract documents to be compiled with by the Tenderer whose tender may be accepted, can be seen at the office of the Director, N.G.R.I., Hyderabad
- 9. Tenders should be submitted in double sealed covers super scribed with the name of the work, date and time of opening written both on the inner and outer envelopes. Tenders will be received in the office of the Director, N.G.R.I., Hyderabad. The completed Tenders should be dropped in the Tender Box before the closing date and time indicated. In case these are sent by post these should be sent by Regd. Post / Speed post addressed to the Director, N.G.R.I., Hyderabad-500007. Tenderers are to ensure that they post the tender well in advance so as to reach us before the closing time and date indicated.
 - A. Last date to receive request & to issue tender document: From 7/7/17 to 13/7/17
 - B. Last date of Submission of Tender and Time: 14/7/17 Up to 2.30 P.M.
 - C. Date and Time of opening of Tender: 14/7/17 @ 3.00 P.M.
- 10. Earnest Money amounting to **Rs. 9,500/-** (Rupees Nine Thousand Five Hundred Only) as demand draft of a scheduled Bank and drawn in favour of The **Director**, **N.G.R.I.**, Hyderabad along with copies of Registration certificate, experience in similar type of works, Income tax clearance certificate etc. are to be submitted while requesting for the tender schedule.
- 11. The Employer does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rates quoted.
- 12. Canvassing in connection with the tenders is prohibited and the tenders submitted by the contractor who resort to canvassing are liable for rejection.
- 13. The tenderer shall not be permitted to tender for works in the concerned unit of CSIR in which relative is posted in the grade between Controller of Administration and Junior Engineer, (both inclusive). He shall also intimate the name of persons who are working with him in any capacity subsequently employed by him and who are relatives as mentioned above.
 - NOTE: A person shall be deemed to be a relative of another if, and only if, (a) they are members of a Hindu Undivided Family, or (b) they are husband and wife, or (c) the one is related to the other in the following manner: Father, Mother (including step mother), Son(including step son), Son's Wife, Daughter (Including step daughter) Father's father, Son's Son, Son's Son's wife, Son's daughter, Son's daughter's husband, Daughter's husband, Daughter's son, Daughter's Son's wife, Daughter's daughter, Daughter's daughter's husband, Brother (including step brother), Brother's wife, Sister (including step sister), Sister's husband.
- 14. Tender submitted shall remain valid for 90 days from the date of opening for the purpose of acceptance and award of work, validity beyond 90 days from the date of opening shall be by mutual consent.
- 15. The Tenderer shall quote rates both in figures and words. He shall also workout the amount for each item of work and write in both figures and words. On check, if there are differences between the rates quoted by the tenderer in words and in figures or in the amount worked out by him, the following procedure shall be followed:
 - I. When there is a difference between the rates in figures and in words, the rates which correspond to the amounts worked out by the tenderer shall be taken as correct.
 - II. When the amount of an item is not worked out by the tenderer or it does not correspond with the rate written either in figures or in words the rate quoted by the tenderer in words shall be taken as correct.
 - III. When the rate quoted by the tenderer in figures and in words tallies, but the amount is not worked out correctly, the rate quoted by the tenderer shall be taken as correct and not the amount.

- 16. The tenderer should see drawings and in case of doubt, obtain required particulars, which may in any way influence his tender from the Engineer as no claim whatsoever will be entertained for any alleged ignorance thereof.
- 17. Before tendering, the tenderer shall inspect the site to fully acquaint himself about the condition in regard to accessibility of site, nature and extent of ground, working condition of site and locality including stacking of material, installations of tools and plants (T & P), etc., conditions affecting accommodation and movement of labour, etc., required for the satisfactory execution of the contract. No claim whatsoever on such account shall be entertained by the employer in any circumstances.
- 18. Earnest money will be forfeited, if the contractor fails to commence the work as per letter of award work.
- 19. Except writing rates and amount, the tenderer should not write any conditions or make any changes, additions, alterations and modifications in the printed form of tenders. Tenderers who are desirous to offer rebate, the same should be brought out separately in the covering letter and submitted along with the tender.
- 20. Some of the provisions of general conditions of contract are given below. Interpretations, however, shall be as given in the general conditions of the contract.
 - a) **DEFECTS LIABILITY PERIOD**: Twelve months from the date of completion as certified by the Employer.
 - b) MINIMUM VALUE OF WORK FOR THE INTERMEDIATE CERTIFICATE:
 Rs. 4.733 lakhs (Rupees Four Lakh Seventy Three Thousand Three Hundred only) Intermediate certificate for a lesser amount can not be admitted for payment at the discretion of the Engineer.
- 21. **SECURITY DEPOSIT**: A sum @ 10% of the gross amount of the bill shall be deducted from each running bill of the contractor till the sum along with the sum already deposited as earnest money, will amount to security deposit of 5% of the tender value of the work. In addition, the contractor shall be required to deposit an amount equal to 5% of the tenderd value of the contract as Performance Security within the period prescribed for commencement of work in the letter of award issued to contractor/firm.
- 22. **COMPENSATION:** Contractor shall pay as compensation an amount equal to one per cent or such smaller amount as the Employer (Whose decision in writing shall be final) may decide on the cost of the whole work as shown in the agreement, for every week that the work remains un commenced or unfinished or due quantity of work remains incomplete after the proper dates. Compensation to be paid shall not exceed Ten per cent of the estimated cost of the work as shown in agreement.

23. Tax deduction at source:

- i. TDS 1%.
- ii. GST to be reimbursed on submission claim with original proof of details.
- iii. If any other statutory taxes be reimbursed to contractor on submission of claim with original proof of details.
- 24. The required building material, if any, is to be procured by the contractor <u>including steel and cement</u> (ACC/Raasi/Orient /L&T) and the quality of material be tested by the Engineer-in-charge. The testing charges will be borne by the contractor.

COMPLIANCE TO LABOUR LAWS & APPRENTICE ACT

The contractor shall comply with all the provisions of the Minimum Wages Act, 1948, Contract Labour (Regulation and Abolition) Act, 1970, and rules and orders framed there under and other labour laws affecting contract labour and Apprentice Act, 1961 and the rules and orders framed there under that may be in force or brought into force from time to time. Contractor shall obtain a valid license under Contract Labour (R&A) Act 1970 and Contract Labour (R&A) Central Rules 1971 before commencing work and which should be valid till the completion.

I. CONTRACTOR'S SITE SUPERINTENDENCE

Staff to be employed by contractor on works:

The contractor shall employ the following technical staff during execution of works:

- (a) For building and road works
 - (i) One graduate Engineer, when the tendered cost of work exceeds Rs.10 lakhs
 - (ii) One qualified Diploma holder (overseer) with experience not less than 3 years when the tendered cost of work exceeds Rs.5 lakhs but less that Rs.10 lakhs
 - (iii) One qualified Diploma holder when the tendered cost of work is more than Rs.2 lakhs but less than Rs.5 lakhs
- (b) For sanitary and water supply works:

One qualified diploma holder with experience of not less than 5 years, out of which one year should be in sanitary and water supply works when the tendered cost of work is more than Rs.50,000/-

- (c) For electrical works
 - (i) One qualified Graduate Engineer possessing Degree in Electrical Engineering from recognized university with an experience of not less than 3 years or a Diploma holder in Electrical Engineering with an experience of not less than 7 years when the tendered cost of the work is not less than Rs.1.5 lakhs
 - (ii) One Graduate Electrical Engineer with two years experience or a Diploma holder I Electrical Engineering with experience of not less than 3 years, when the tendered cost of the work is more than Rs.75,000/- but less than Rs.1.5 lakhs.
 - (iii) One Diploma holder in Electrical Engineering with experience of not less than 3 years when tendered cost of work is more than Rs.37,000/- but less than Rs.1.5 lakhs
 - (iv) One licensed Supervisor with experience of not less than 3 years when the tendered cost of work is more than Rs.7,500/- and less than Rs.37,000/-
- 1. In case the contractor fails to employ the technical staff as aforesaid, he shall be liable to pay reasonable amount not exceeding the amount shown below for each month of default. These recoveries are subject to modifications from time to time by CSIR based on CPWD:-

(i)	In case when a Graduate Engineer is to be employed Rs.3,000/-
(ii)	In case when a qualified Diploma holder is required to be employed Rs.1,500/-
(iii)	In case when a technical Supervisor is required to be employed Rs.750/-

ADDITIONAL CONDITIONS OF CEMENT, STEEL & BITUMEN CONDITIONS FOR CEMENT:

- 1. The contractor shall procure 33 grade (Conforming to IS: 269) or 43 grade (Conforming to IS: 8112) ordinary Portland cement, as required in the work, from reputed manufactures of cement having a production-capacity of one million tones per annum or more such has ACC, L & T, J.P, Rewa, Vikram, Shri Cement, Birla Jute and Cement Corporation of India etc, as approved by Ministry of Industry, Government of India, and holding license to use ISI certification mark for their product whose name shall be got approved from Engineer-in-Charge. Supply of cement shall be taken in 50 Kg. bags bearing manufacture's name and ISI marking, samples of cement arranged by the contractor shall be taken by the Engineer-in-Charge and got tested in accordance with provisions of relevant BIS codes. In case test results indicate that the cement arranged by contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in-Charge to do so.
- 2. The cement shall be brought at site in bulk supply of approximately 50 tones or as decided by the Engineer-in-Charge.
- 3. The cement godown of the capacity to store a minimum of 2000 bags of cement shall be constructed by the contractor at site of work for which no extra payment shall be made. Double lock provisions shall be made to the door of the cement godown. The keys of one lock shall remain with the Engineer-in-Charge or his authorized representative and the key of the other lock remain with the contractor. The contractor shall be responsible for the watch and ward and safety of the cement godown. The contractor shall facilitate the inspection of the cement godown by the Engineer-in-Charge at any time.
- 4. The contractor shall supply free of charge the cement required for testing. The cost of tests shall be borne by the contractor.
- 5. The actual issue and consumption of cement on work shall be regulated and proper accounts maintained as provided in Clause 6 of the contract. The theoretical consumption of cement shall be worked out as per procedure prescribed in Clause 6 of the contract and shall be governed by conditions laid therein.
- 6. Cement brought to site and cement remaining unused after completion of work shall not be removed from without written permission of the Engineer-in-Charge.

CONDITIONS FOR STEEL:

- 1. The contractor shall procure steel reinforcement bars conforming relevant BIS codes from main producers as approved by the ministry of steel. The contractor shall have to obtain and furnish test certificate to the Engineer-in-Charge in respect of all supplies of steel brought by him to the site of work. Samples shall also be taken and got tested by the Engineer-in-Charge as per the provisions in this regard in relevant BIS codes. In case the test results indicate that the steel arranged by the contractor does not confirm to BIS codes, the same shall stand rejected and shall be removed from the site of work by the contractor at his cost within a week's time from written orders from the Engineer-in-Charge to do so.
- 2. The steel reinforcement shall be brought to the site in bulk supply of 10 tonnes or more as decided by the Engineer-in-Charge.

- 3. The steel reinforcement shall be stored by the contractor at site of work in such a way as to prevent Distortion and corrosion and nothing extra shall be paid on this account. Bars of different size and lengths shall be stored separately to facilitate easy counting and checking.
- 4. For checking nominal mass, tensile strength, bend test, re-bend test etc.., specimen of sufficient length shall be cut from each size of the bar at random at frequency not less than that specified below:

Size of bar	For consignment below 100	For consignment over 100	
	tonnes	tonnes	
Under 10mm dia.	One sample for each 25 tonnes	One sample for each 40 tonnes	
	or part thereof.	or part thereof.	
10mm to 16mm dia	10mm to 16mm dia One sample for each 35 tonnes		
	or part thereof.	or part thereof.	
Over 16mm dia	One sample for each 45 tonnes	One sample for each 50 tonnes	
	or part thereof.	or part thereof.	

- 5. The contractor shall supply free of charge the steel required for testing. The cost of tests shall be borne by the contractor.
- 6. The actual issue and consumption of steel on work shall be regulated and proper accounts maintained as provided in clause 6 of the contract. The theoretical consumption of steel shall be worked out as per procedure in clause 6 of the contract and shall be governed by conditions laid therein.
- 7. Steel brought to side and steel remaining unused shall not be removed from site without the written permission of the Engineer-in-charge.

CONDITIONS FOR BITUMEN

- 1. The contractor shall bring the required grade of Bitumen as specified in the item of works in sealed Drums of ISI mark & standard company / Refinery of ISI grade.
- 2. The contractor shall tests the bitumen free of charge in the standard approved. Laboratory as per ISI & CPWD practice for its quality.
- 3. The quality of Bitumen to be collected as per relevant codes of work as specified in ISI & CPWD practice.
- 4. In case the road work is done by Hot Mix Plant with mineral aggregate or at site the necessary relevant test of mix for quality and proportion of Bitumen to be carried out by the contractor on his own expenditures as per ISI codes & CPWD practice of the concerned works.

<u>Additional Conditions-02 (Water proofing Treatment)</u>

- 1. The roof slab is loose condition before quoting the rates contractor may pl see the site conditions.
- 2. Nozzles to be fixed firmly and while injects the gouts it should be strong enough.
- 3. If any nozzles comes out, it should be refixed with epoxy materials (Resin and hardener base) and no extra payment to be made for doing like this.
- 4. If any reinforcement or rebar comes, at any nozzle mouth, if it should be fixed at new point by drilling a suitable hole and for which extra payment be made.
- 5. Each and every point of work to be executed in the close supervision of Engineer-In-Charge
- 6. Contractor has to brought fresh cement and should manufactured not more than one month.
- 7. Grid intervals to be marked at site as per sketch issued by Sr.SE (C).
- 8. RMC to be brought to the site with plant capacity of 90 000 Mt per hour i.e from Maha cement or equivalent.
- 9. Levels of the existing surface to be taken up and to be submitted to Engineer –In-Charge (Sr.SE (C)) in graph sheet. The contractor has to take the drawing from the office and according to which levels the work to be completed.
- 10. After taking the necessary drawings/sketches only contractor has to start the work.
- 11. The paayels or leveling points with Mix of M-20 mixing with Reliance recron fibre (3S), Conplast X 421IC as per manufacture specifications to be made at intervals of 1mt. This is required for doing the total work properly.
- 12. All the materials to be got tested from the Labs of at Osmania University, /JNTU before incorporating in works as directed by Sr.Superintending Engineer. Designing of CC Mix of required grades to be designed from the labs of Osmania University, /JNTU as per letter issued by Sr.Superintending Engineer and Report to be submitted to the him for approval before incorporating in work.
- 13. Cement store to be constructed as per CPWD specifications for keeping cement. This Store cannot be permitted to use as joint/combined works.
- 14. Minimum two numbers of in working plate type vibrators, with skilled technician who has expertise in operation should kept at site for vibrating the concrete. If the vibrator not works. The work will be stopped immediately and RMC will be returned.
- 15. Contractor should incorporate material only after taking written approval from Sr. Superintending Engineer. Contractor has to bring the material in advance, considering time required for testing of material, collecting of test reports etc.
- 16. Testing of the materials to be got done by the Contractor at his own cost by taking the letter from the Office of NGRI before incorporating them.
- 17. Contractor has to arrange error free leveling instruments, leveling staff, surveyor, etc. He has to submit the levels in required intervals of the ground / area where the work is earmarked to the Sr. Superintending Engineer.
- 18. Contractor has to take levels of the work to be completed in writing from the Sr. Superintending Engineer, before commencement of the work.
- 19. Expansion joint, etc. to be made/done as per instruction of the Sr. Superintending Engineer.
- 20. Contractor has to safe-guard the waterlines, power lines, supply lines, sewer lines etc. including those in under ground. In case of damage the Contractor has rectify/restore with his own cost immediately without any further delay. No drawings are available, to know where the concealed services lines are passing.
- 21. Time of completion of work is essence of the contract. If the Contractor fails to complete the work within stipulated time, penalty will be imposed as per relevant clauses of Agreement.
- 22. The contractor should provide necessary safety equipment to his labours, while executing the work. The contractor is fully responsible for the safety of the labours engaged by him solely and CSIR-NGRI, Hyderabad is not liable to any form of compensation for any untoward incident/accident on any cost.

I read the CSIR Works Agreement Conditions also and work will be completed according to rules, conditions, additional conditions, special conditions, CPWD specifications, etc. and I will not claim for any additional amount over and above quoted rates to do the work including above conditions.

CSIR-NATIONAL GEOPHYSICAL RESEARCH INSTITUTE HYDERABAD 500 007

ABSTRACT OF COST

S.NO.	NAME OF THE WORK		TOTAL COST	
1.	Total brought forward from the Last page of tender schedule of Quantities:			
	PART-A	<u>Rs</u>		_
	GRAND TOTAL:	<u>Rs.</u>		
Rupees				Only)

All the materials shall be quality specified and approved by our engineer. The Contractor should inspect the site, examine specifications, drawings, schedules of quantities and tender their rates. The rates given in the schedule of quantities will be deemed to include all the necessary materials, T & P labour required for satisfactory completion of work as shown in the drawings, specifications, schedule of work.

CSIR- NATIONAL GEOPHYSICAL RESEARCH INSTITUTE Uppal Road, Hyderabad - 500 007

Name of Work: Grouting and Grading of terrace of south wing in Extension Building at NGRI, Hyderabad

S.No.	Description of Work	Qty.	Unit	Rate (In figure and Words)	Amount
1	Providing and laying grading roof for water proofing treatment with				
	M20 Grade Ready Mix concrete (12.5/ 6 mm nominal size) including mixing of conplast X421 IC make of Fosroc and Fiber reinforcement make of Reliance 3S. Including pumping, spreading/ compacting, levelling etc. to complete.	22.00	Cum		
2	Grouting in the roof slab, beam, column etc including making holes, fixing of pipe/tube and fix with renderoc plug make of fosroc, Cebex-100 make of Fosroc, required cement etc to complete the job.				
		2200.00	Each		
3	Supply and apply of SBR, make of Roff two coat on slab including cement etc as per manufacture specifications.				
		550.00	Sqm		

Total